

On page 14 line 21 after recitation of "90" insert -- (Figure 15B) --;  
On page 14 line 21 after recitation of "360" insert -- (Figure 15C) --;  
On page 40 line 25 after recitation of "Figure 4" insert -- B and Figure 4D --;  
On page 44 line 5 after recitation of "Figure 7" insert -- A --;  
On page 44 line 11 after recitation of "Figure 7" insert -- A --;  
On page 44 line 33 after recitation of "Figure 7" insert -- B --;  
On page 68 line 33 after recitation of "Figure 12" insert -- A --;  
On page 66 line 1 after recitation of "Figure 12" insert -- B --;  
On page 73 line 12 after the recitation of Example 15 and before "shows" insert -- A -

C --;

On page 73 line 14 after the recitation of "30" insert -- (Figure 15A) --;  
On page 73 line 14 after the recitation of "90" insert -- (Figure 15B) --;  
On page 73 line 15 after the recitation of "360" insert -- (Figure 15C) --;  
On page 73 line 18 after the recitation of "Figure 15" insert -- C --.

#### REMARKS


The amendment to the specification is being requested to correct clerical errors in the designation of the figures. Applicants respectfully submit that no new matter is being added by this amendment.

Respectfully submitted,

MORGAN & FINNEGAN

Dated: August 25, 1993

By:

  
Kathryn M. Brown, Ph.D., Reg. No. 34,556

Of Counsel:

MORGAN & FINNEGAN  
345 Park Avenue  
New York, New York 10154  
(212) 758-4800  
(212) 751-6849 (FAX)

